



Federal Communications Commission

Hearing Aid Compatibility Status Report (FCC Form 655)

Reporting Period: January 1, 2013 - December 31, 2013

Filing Confirmation Number: 0006098662

Filing Deadline: January 15, 2014

FRN: 0020277489

Filing Date: 01/14/2014 10:09 AM

General Report Information

Type of Company

Service Provider

De Minimis Exception

Did you offer any handsets to subscribers in the United States during the reporting period? Yes

Have you been offering handsets in the United States for at least three years prior to the end of the reporting period? Yes

Date that you began offering handsets in the United States

Are you a small entity? Yes

Were you a small entity at any time during the three years prior to the end of the reporting period?

Date that you ceased to be a small entity?

Company Information

Company Name: Assist Wireless
Brand Names: Assist Wireless
PO Box:
Street Address: 2402 Gravel Drive
City: Fort Worth
State: TX
Zip Code: 76118

Contact Name: Byron Young
Contact Phone: (817) 371-5279
Contact Fax:
Contact Email: byron.young@ystas.com

Filing Agent

Is this report being filed by an agent on behalf of a manufacturer or service provider? Yes

Agent Name: Patrick Hardy
PO Box:
Street Address: 6240 Shiloh Road suite 240
City: Alpharetta
State: GA

Contact Name: Patrick Hardy
Contact Phone: (678) 304-6472
Contact Fax:
Contact Email: patrick@gsaudits.com

Product Labeling

Do all hearing aid-compatible handsets include labeling? No

Explain: Handsets are refurbished and do not come packaged in original boxes or include original manuals, but information can be found via the manufacturer's website.

Do all hearing aid-compatible handsets that are capable of voice communication over any air interface or frequency band that does not have hearing aid compatibility technical standards under ANSI C63.19-2007 include the required language disclosing that the handset has not been rated for hearing aid compatibility with respect to such operations? No

Explain: Handsets are refurbished and do not come packaged in original boxes or include original manuals, but information can be found via the manufacturer's website.

Do all hearing aid-compatible handsets that the manufacturer also tested and found not to meet hearing aid compatibility requirements under ANSI C63.19-2011 for one or more operations that are not covered under ANSI C63.19-2007, include language informing users by clear and effective means that the handset does not meet the relevant rating or ratings with respect to such operation(s)? No

Explain: Handsets are refurbished and do not come packaged in original boxes or include original manuals, but information can be found via the manufacturer's website.

Do all handsets that are capable of use for Voice over LTE, and that were certified for inductive coupling capability under ANSI C63.19-2011 without being tested for inductive coupling capability over VoLTE, include language disclosing that they were not tested with respect to this operation? No

Explain: Handsets are refurbished and do not come packaged in original boxes or include original manuals, but information can be found via the manufacturer's website.

Do all handsets that meet the criteria for an M3 rating by allowing the user to reduce the maximum power for GSM operation in the 1900 MHz band include the required disclosure?

Explain:

Public Website

Does your company maintain a public website describing all hearing aid-compatible models, the ratings of those models, and an explanation of the rating system? Yes

Website address: www.assistwireless.com

Explain:

Consumer Outreach

Describe consumer outreach efforts in the past 12 months: Assist Wireless has developed an advertising campaign designed to inform consumers that would benefit and qualify for the Lifeline program. Assist Wireless has opened store fronts in an effort to reach consumers that may not have access to internet or mail services. Assist Wireless also goes into small communities to reach consumers that may not have the means to travel to our store fronts.

Methodology for Functionality Levels

Low - Handsets with basic voice and text features.

Medium - Handsets with additional features such as a camera, Bluetooth and/or QWERTY keypads.

High - Handsets that the industry categorizes as Smart Phones that may have features such as Touch Screens, High-Speed data capability such as 3-G or EVDO Wi-Fi. etc.

Report Remarks

You have reported the following handset model summary information.

Total number of handsets offered: 113

Air Interface	Fully Hearing Aid Compatible		Acoustic Coupling Compatible Only		Non-Compliant Handsets		Excluded Handsets	Total by Air Interface
	Number	Percent	Number	Percent	Number	Percent	Number	
CDMA	87	77%	23	20%	3	3%		113

Handset 1: HTC 6277 Hero

Handset Maker

HTC

Handset Model Name

6277 Hero

FCC ID

NM8HERO200

Air Interfaces/Frequency Bands

1900 MHz CDMA

2100 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

high

Remarks

Handset 2: HTC 6850

Handset Maker

HTC

Handset Model Name

6850

FCC ID

NM8RAPH500

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M3

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

mid

Remarks

Handset 3: HTC S511 Snap

Handset Maker

HTC

Handset Model Name

S511 Snap

FCC ID

NM8CEDA200

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

mid

Remarks

Handset 4: HTC XV6850

Handset Maker

HTC

Handset Model Name

XV6850

FCC ID

NM8RAPH500

Air Interfaces/Frequency Bands

850 MHz CDMA

1800 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M3

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

high

Remarks

Handset 5: Kyocera E4210

Handset Maker

Kyocera

Handset Model Name

E4210

FCC ID

V65E4210

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

low

Remarks

Handset 6: Kyocera K325**Handset Maker**

Kyocera

Handset Model Name**FCC ID**

K325

OVFKWC-K24-2J0

Air Interfaces/Frequency Bands

1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M3

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

low

Remarks

Handset 7: Kyocera K612 Strobe

Handset Maker

Kyocera

Handset Model Name

K612 Strobe

FCC ID

OVFKWC-KX21

Air Interfaces/Frequency Bands

850 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating:

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

mid

Remarks

Handset 8: Kyocera M1000 Lingo

Handset Maker

Kyocera

Handset Model Name

M1000 Lingo

FCC ID

OVFKWC-M1000-2X0

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

low

Remarks**Handset 9: Kyocera M2000****Handset Maker**

Kyocera

Handset Model Name**FCC ID**

M2000

OVF-K4802

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/12 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

mid

Remarks

Handset 10: Kyocera M9300

Handset Maker

Kyocera

Handset Model Name

M9300

FCC ID

V65M9300

Air Interfaces/Frequency Bands

850 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

mid

Remarks

Handset 11: Kyocera S2410

Handset Maker

Kyocera

Handset Model Name

S2410

FCC ID

OVF-K33BI04

Air Interfaces/Frequency Bands

1700 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M3

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

low

Remarks**Handset 12: Kyocera S3015****Handset Maker**

Kyocera

Handset Model Name**FCC ID**

S3015

V65S3015

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M3

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

mid

Remarks

Handset 13: LG 150

Handset Maker

LG

Handset Model Name

150

FCC ID

BEJVN150

Air Interfaces/Frequency Bands

850 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

low

Remarks

Handset 14: LG 160

Handset Maker

LG

Handset Model Name

160

FCC ID

BEJLX160

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M4

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Low

Remarks

Handset 15: LG 260

Handset Maker

LG

Handset Model Name

260

FCC ID

BEJLX260

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

mid

Remarks

Handset 16: LG 840

Handset Maker

LG

Handset Model Name

840

FCC ID

BEJAX840

Air Interfaces/Frequency Bands

850 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

high

Remarks

Handset 17: LG 8575

Handset Maker

LG

Handset Model Name

8575

FCC ID

BEJ VX8575

Air Interfaces/Frequency Bands

850 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

high

Remarks

Handset 18: LG 9250

Handset Maker

LG

Handset Model Name

9250

FCC ID

bejvx9200

Air Interfaces/Frequency Bands

1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M4

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

low

Remarks

Handset 19: LG AS740

Handset Maker

LG

Handset Model Name

AS740

FCC ID

BEJVS740

Air Interfaces/Frequency Bands

850 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Mid

Remarks

Handset 20: LG LG670

Handset Maker

LG

Handset Model Name

LG670

FCC ID

BEJLS670

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

high

Remarks

Handset 21: LG LN240**Handset Maker**

LG

Handset Model Name**FCC ID**

LN240

BEJLN240

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

mid

Remarks

Handset 22: LG LS670

Handset Maker

LG

Handset Model Name

LS670

FCC ID

BEJLS670

Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

mid

Remarks

Handset 23: LG LX260

Handset Maker

LG

Handset Model Name

LX260

FCC ID

BEJLX260

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M3

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

mid

Remarks

Handset 24: LG LX370**Handset Maker**

LG

Handset Model Name**FCC ID**

LX370

BEJLX370

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

low

Remarks

Handset 25: LG M510

Handset Maker

LG

Handset Model Name

M510

FCC ID

BEJVM510

Air Interfaces/Frequency Bands

850 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

low

Remarks

Handset 26: LG MN270 Beacon

Handset Maker

LG

Handset Model Name

MN270 Beacon

FCC ID

BEJMN270

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

low

Remarks**Handset 27: LG MS690 Optimus M****Handset Maker**

LG

Handset Model Name**FCC ID**

MS690 Optimus M

BEJMS690

Air Interfaces/Frequency Bands

850 MHz CDMA
1700 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

low

Remarks

Handset 28: LG MT310

Handset Maker

LG

Handset Model Name

MT310

FCC ID

BEJMT310

Air Interfaces/Frequency Bands

1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

low

Remarks

Handset 29: LG MT375

Handset Maker

LG

Handset Model Name

MT375

FCC ID

BEJMT375

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

low

Remarks

Handset 30: LG REMARQ

Handset Maker

LG

Handset Model Name

REMARQ

FCC ID

BEJLN240

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Mid

Remarks

Handset 31: LG RHYTHM

Handset Maker

LG

Handset Model Name

RHYTHM

FCC ID

BEJAX585

Air Interfaces/Frequency Bands

850 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

mid

Remarks

Handset 32: LG UN200

Handset Maker

LG

Handset Model Name

UN200

FCC ID

BEJUN200

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

mid

Remarks

Handset 33: LG US760**Handset Maker**

LG

Handset Model Name**FCC ID**

US760

BEJVS760

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M3

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

high

Remarks

Handset 34: LG UX700

Handset Maker

LG

Handset Model Name

UX700

FCC ID

BEJUX700

Air Interfaces/Frequency Bands

850 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

high

Remarks

Handset 35: LG VM265

Handset Maker

LG

Handset Model Name

VM265

FCC ID

BEJVM265

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M3

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

mid

Remarks**Handset 36: LG VM510****Handset Maker**

LG

Handset Model Name**FCC ID**

VM510

BEJVM510

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

mid

Remarks

Handset 37: LG VN250

Handset Maker

LG

Handset Model Name

VN250

FCC ID

BEJVN250

Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M3

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

mid

Remarks

Handset 38: LG VN270 Cosmos Touch

Handset Maker

LG

Handset Model Name

VN270 Cosmos Touch

FCC ID

BEJVN270

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M3

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

mid

Remarks

Handset 39: LG VS740**Handset Maker**

LG

Handset Model Name**FCC ID**

VS740

BEJVS740

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M3

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

mid

Remarks

Handset 40: LG VX11000

Handset Maker

LG

Handset Model Name

VX11000

FCC ID

BEJVGX11000

Air Interfaces/Frequency Bands

850 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

mid

Remarks

Handset 41: LG VX8350

Handset Maker

LG

Handset Model Name

VX8350

FCC ID

BEJVGX8350

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

low

Remarks

Handset 42: LG VX8610**Handset Maker**

LG

Handset Model Name**FCC ID**

VX8610

BEJVBX8610

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M3

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

low

Remarks

Handset 43: LG VX9100

Handset Maker

LG

Handset Model Name

VX9100

FCC ID

BEJVBX9100

Air Interfaces/Frequency Bands

850 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

mid

Remarks

Handset 44: LG VX9600

Handset Maker

LG

Handset Model Name

VX9600

FCC ID

BEJVBX9600

Air Interfaces/Frequency Bands

850 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

mid

Remarks

Handset 45: LG VX9700**Handset Maker**

LG

Handset Model Name

VX9700

FCC ID

BEJVBX9700

Air Interfaces/Frequency Bands

850 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

high

Remarks

Handset 46: Motorola Citrus

Handset Maker

Motorola

Handset Model Name

Citrus

FCC ID

IHDP56LF1

Air Interfaces/Frequency Bands

1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

mid

Remarks

Handset 47: Motorola K1m

Handset Maker

Motorola

Handset Model Name

K1m

FCC ID

IHDT56GH1

Air Interfaces/Frequency Bands

1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

mid

Remarks

Handset 48: Motorola Q9c

Handset Maker

Motorola

Handset Model Name

Q9c

FCC ID

IHDT56HS1

Air Interfaces/Frequency Bands

850 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M3

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

high

Remarks

Handset 49: Motorola V3m

Handset Maker

Motorola

Handset Model Name

V3m

FCC ID

IHDT56FT1

Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

mid

Remarks

Handset 50: Motorola V950

Handset Maker

Motorola

Handset Model Name

V950

FCC ID

IHDT56JA1

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

low

Remarks

Handset 51: Motorola W385**Handset Maker**

Motorola

Handset Model Name**FCC ID**

W385

IHDT56HC1

Air Interfaces/Frequency Bands

1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

low

Remarks

Handset 52: Samsung A840

Handset Maker

Samsung

Handset Model Name

A840

FCC ID

A3LSPHA840

Air Interfaces/Frequency Bands

850 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M3

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

low

Remarks

Handset 53: Samsung A900

Handset Maker

Samsung

Handset Model Name

A900

FCC ID

A3LSPHA900

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M3

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

low

Remarks

Handset 54: Samsung A920**Handset Maker**

Samsung

Handset Model Name**FCC ID**

A920

A3LSPHA920

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

low

Remarks

Handset 55: Samsung A930

Handset Maker

Samsung

Handset Model Name

A930

FCC ID

A3LSCHA930

Air Interfaces/Frequency Bands

850 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M3

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

low

Remarks

Handset 56: Samsung i220 Code

Handset Maker

Samsung

Handset Model Name

i220 Code

FCC ID

A3LSCHI220

Air Interfaces/Frequency Bands

850 MHz CDMA
1700 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

mid

Remarks

Handset 57: Samsung M220**Handset Maker**

Samsung

Handset Model Name**FCC ID**

M220

A3LSPHM220

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

low

Remarks

Handset 58: Samsung M240

Handset Maker

Samsung

Handset Model Name

M240

FCC ID

A3LSPHM240

Air Interfaces/Frequency Bands

850 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

low

Remarks

Handset 59: Samsung M300

Handset Maker

Samsung

Handset Model Name

M300

FCC ID

A3LSPHM300

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

low

Remarks**Handset 60: Samsung M310****Handset Maker**

Samsung

Handset Model Name**FCC ID**

M310

A3LSGHM310

Air Interfaces/Frequency Bands

850 MHz CDMA
900 MHz CDMA
1800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating:

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

low

Remarks

Handset 61: Samsung M320

Handset Maker

Samsung

Handset Model Name

M320

FCC ID

A3LSPHM320

Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

low

Remarks

Handset 62: Samsung M330

Handset Maker

Samsung

Handset Model Name

M330

FCC ID

A3LSPHM330

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

low

Remarks**Handset 63: Samsung M340****Handset Maker**

Samsung

Handset Model Name**FCC ID**

M340

A3LSPHM340

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

mid

Remarks

Handset 64: Samsung M350

Handset Maker

Samsung

Handset Model Name

M350

FCC ID

A3LSPHM350

Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M4

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

mid

Remarks

Handset 65: Samsung M400

Handset Maker

Samsung

Handset Model Name

M400

FCC ID

A3LSPHM400

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

low

Remarks**Handset 66: Samsung M500****Handset Maker**

Samsung

Handset Model Name**FCC ID**

M500

A3LSPHM500

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

low

Remarks

Handset 67: Samsung M510

Handset Maker

Samsung

Handset Model Name

M510

FCC ID

A3LSPHM510

Air Interfaces/Frequency Bands

850 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M3

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

low

Remarks

Handset 68: Samsung M520

Handset Maker

Samsung

Handset Model Name

M520

FCC ID

A3LSPHM520

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M4

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

mid

Remarks**Handset 69: Samsung M540****Handset Maker**

Samsung

Handset Model Name**FCC ID**

M540

A3LSCHU540

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

mid

Remarks

Handset 70: Samsung M550

Handset Maker

Samsung

Handset Model Name

M550

FCC ID

A3LSPHM550

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

mid

Remarks

Handset 71: Samsung M560

Handset Maker

Samsung

Handset Model Name

M560

FCC ID

A3LSPHM560

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

mid

Remarks

Handset 72: Samsung M570**Handset Maker**

Samsung

Handset Model Name**FCC ID**

M570

A3LSPHM570

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

mid

Remarks

Handset 73: Samsung M575

Handset Maker

Samsung

Handset Model Name

M575

FCC ID

A3LSPHM575

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

low

Remarks

Handset 74: Samsung M610

Handset Maker

Samsung

Handset Model Name

M610

FCC ID

A3LSPHM610

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M4

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

low

Remarks**Handset 75: Samsung M630****Handset Maker**

Samsung

Handset Model Name**FCC ID**

M630

A3LSPHM630

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M4

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

low

Remarks

Handset 76: Samsung M800

Handset Maker

Samsung

Handset Model Name

M800

FCC ID

A3LSPHM800

Air Interfaces/Frequency Bands

850 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

mid

Remarks

Handset 77: Samsung M810

Handset Maker

Samsung

Handset Model Name

M810

FCC ID

A3LSPHM810

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

mid

Remarks

Handset 78: Samsung M820**Handset Maker**

Samsung

Handset Model Name**FCC ID**

M820

A3LSPHM820

Air Interfaces/Frequency Bands

1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

high

Remarks

Handset 79: Samsung M850

Handset Maker

Samsung

Handset Model Name

M850

FCC ID

A3LSPHM850

Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

mid

Remarks

Handset 80: Samsung M900

Handset Maker

Samsung

Handset Model Name

M900

FCC ID

A3LSPHM900

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M4

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

mid

Remarks**Handset 81: Samsung M910****Handset Maker**

Samsung

Handset Model Name**FCC ID**

M910

A3LSPHM910

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

mid

Remarks

Handset 82: Samsung R330

Handset Maker

Samsung

Handset Model Name

R330

FCC ID

A3LSCHR330

Air Interfaces/Frequency Bands

850 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

low

Remarks

Handset 83: Samsung R350

Handset Maker

Samsung

Handset Model Name

R350

FCC ID

A3LSCHR350

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

mid

Remarks

Handset 84: Samsung R560**Handset Maker**

Samsung

Handset Model Name**FCC ID**

R560

A3LSCHR560

Air Interfaces/Frequency Bands

850 MHz CDMA
1700 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

mid

Remarks

Handset 85: Samsung R561

Handset Maker

Samsung

Handset Model Name

R561

FCC ID

A3LSCHR560

Air Interfaces/Frequency Bands

850 MHz CDMA
1700 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

mid

Remarks

Handset 86: Samsung R810

Handset Maker

Samsung

Handset Model Name

R810

FCC ID

A3LSCHR810

Air Interfaces/Frequency Bands

850 MHz CDMA
1800 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M4

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

mid

Remarks

Handset 87: Samsung SCH-R351**Handset Maker**

Samsung

Handset Model Name**FCC ID**

SCH-R351

A3LSCHR351

Air Interfaces/Frequency Bands

850 MHz CDMA
1700 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

mid

Remarks

Handset 88: Samsung SCH-R380

Handset Maker

Samsung

Handset Model Name

SCH-R380

FCC ID

A3LSCHR380

Air Interfaces/Frequency Bands

850 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

high

Remarks

Handset 89: Samsung SCH-R450

Handset Maker

Samsung

Handset Model Name

SCH-R450

FCC ID

A3LSCHR450

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

mid

Remarks

Handset 90: Samsung SCH-R800**Handset Maker**

Samsung

Handset Model Name**FCC ID**

SCH-R800

A3LSCHR800

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

mid

Remarks

Handset 91: Samsung SCH-R880

Handset Maker

Samsung

Handset Model Name

SCH-R880

FCC ID

A3LSCHR880

Air Interfaces/Frequency Bands

850 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

mid

Remarks

Handset 92: Samsung SCH-R910

Handset Maker

Samsung

Handset Model Name

SCH-R910

FCC ID

A3LSCHR910

Air Interfaces/Frequency Bands

850 MHz CDMA
1700 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

mid

Remarks

Handset 93: Samsung SPH-M380**Handset Maker**

Samsung

Handset Model Name**FCC ID**

SPH-M380

A3LSPHM380

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

high

Remarks

Handset 94: Samsung SPH-M630

Handset Maker

Samsung

Handset Model Name

SPH-M630

FCC ID

A3LSPHM630

Air Interfaces/Frequency Bands

850 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M4

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

low

Remarks

Handset 95: Samsung Sway U650

Handset Maker

Samsung

Handset Model Name

Sway U650

FCC ID

A3LSCHU650

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M4

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

low

Remarks

Handset 96: Samsung U350**Handset Maker**

Samsung

Handset Model Name**FCC ID**

U350

A3LSCHU350

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

low

Remarks

Handset 97: Samsung U450 DoubleTake

Handset Maker

Samsung

Handset Model Name

FCC ID

U450 DoubleTake

A3LSCHU450

Air Interfaces/Frequency Bands

850 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M4

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

mid

Remarks

Handset 98: Samsung U460

Handset Maker

Samsung

Handset Model Name

FCC ID

U460

A3LSCHU460

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M4

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

mid

Remarks**Handset 99: Samsung U490****Handset Maker**

Samsung

Handset Model Name**FCC ID**

U490

A3LSCHU490

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

mid

Remarks

Handset 100: Samsung U550

Handset Maker

Samsung

Handset Model Name

U550

FCC ID

A3LSCHU550

Air Interfaces/Frequency Bands

850 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

low

Remarks

Handset 101: Sanyo 2700

Handset Maker

Sanyo

Handset Model Name

2700

FCC ID

V65SCP-27H

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

mid

Remarks

Handset 102: Sanyo 3810**Handset Maker**

Sanyo

Handset Model Name**FCC ID**

3810

V65SCP-3810

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

low

Remarks

Handset 103: Sanyo 5500

Handset Maker

Sanyo

Handset Model Name

5500

FCC ID

AEZSCP-55H

Air Interfaces/Frequency Bands

850 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M3

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

mid

Remarks

Handset 104: Sanyo 6750X

Handset Maker

Sanyo

Handset Model Name

6750X

FCC ID

JOYSCP-6750

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

mid

Remarks

Handset 105: Sanyo Katana LX**Handset Maker**

Sanyo

Handset Model Name**FCC ID**

Katana LX

AEZSCP-3800

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

low

Remarks

Handset 106: Sanyo Pro 200

Handset Maker

Sanyo

Handset Model Name

Pro 200

FCC ID

AEZSCP-PRO200

Air Interfaces/Frequency Bands

850 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

low

Remarks

Handset 107: Sanyo Pro 700

Handset Maker

Sanyo

Handset Model Name

Pro 700

FCC ID

AEZSCP-PRO700

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

low

Remarks

Handset 108: Sanyo S1**Handset Maker**

Sanyo

Handset Model Name**FCC ID**

S1

AEZSCP-25H

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

low

Remarks

Handset 109: Sanyo SCP-3200

Handset Maker

Sanyo

Handset Model Name

SCP-3200

FCC ID

AEZSCP-32H

Air Interfaces/Frequency Bands

1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

low

Remarks

Handset 110: Sanyo SCP-3820

Handset Maker

Sanyo

Handset Model Name

SCP-3820

FCC ID

V65SCP-3820

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

low

Remarks

Handset 111: Sanyo SCP-6600

Handset Maker

Sanyo

Handset Model Name

FCC ID

SCP-6600

AEZSCP-66H

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating:

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

mid

Remarks

Handset 112: Sanyo SCP-6650

Handset Maker

Sanyo

Handset Model Name

SCP-6650

FCC ID

AEZSCP-6650

Air Interfaces/Frequency Bands

850 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M4

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

mid

Remarks

Handset 113: Sanyo SCP-8600 (Zio)

Handset Maker

Sanyo

Handset Model Name

SCP-8600 (Zio)

FCC ID

V65SCP-8600

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

high

Remarks

Certification

This Report has been certified by:

Patrick Hardy Regulatory Consultant
01/14/2014 10:09 AM